

India's No.1 largest range from 200 litres up to 35000 litres
An ISO 9001:2000 Company





Plot No. 84, GIDC, Ambicanagar Road, Odhav, Ahmedabad. Phone: 079-22871660, 22873549
Website: www.national-plastics.com E-mail: nationalplastic84@gmail.com



MANUFACTURING OF HDPE SPIRAL TANKS & SLEEVES

HDPE SPIRAL TANKS	Available sizes from
	1,000 liters to 60,000 liters
HDPE SLEEVES	Available sizes from
	500mm to 3600mm DIA









India's No. 1 largest range from 200 liters up to 35000 liters AS ISO 9001:2000 COMPANY

MANUFACTURERS OF: WATER & CHEMICAL STORAGE TANKS, All TYPE OF INDUSTRIAL CONTAINERS, CRATES, INSULATED ICE-BOXES, PALLETS & UNBREAKABLE BUCKET - GHAMELA

WE HAVE A GREAT PLEASURE TO INTRODUCE OUE SELVES AS A PIONEER COMPANY IN MANUFACTURING PLASTIC WATER & CHEMICAL STORAGE TANKS & MANY TYPE OF INDUSTIRAL CONTAINERS, UNDER REPUTED BRAND NAME "NATIONAL" FOR LAST MORE THAN 40 YEARS.

FROM THE DAY OF ESTABLISHMENT, WE ARE IN COUNTNUOUS PROCESS IN DEVELOPING NEW PRODUCTS AND WE ARE SURE THAT OUE PROGRESS WILL NEVER STOP, IF WE GET THE SAME SUPPORT FROM VALUABLE CUSTOMERS LIKE YOU. WE ARE PROUD TO SAY THAT WE ARE MANUFACTURING 100 LITRES TO 35000 LITRES WATER TANKS & CHEMICAL STORAGE TANKS, WHICH CAN BE CALLED OUE BEST ACHIEVEMENT IN THE MARKET. OUR PRODUCT RANGE CONSIST OF 250 TO 300 ARTICLES WITH DIFFERENT SIZE & SHAPES.

	T
	*CYL. VERTICAL TANKS WITH CLOSE TOP
4) MATER TANKS	(200 LITRES UPTO 35000 LITRES)
1) WATER TANKS	*LOFT TANKS
	*DRUMS
	*OPEN TOP VESSELS *CONICAL TANKS
2) CHERAICAL TARIVE	*TEXTILE TROLLINES * ELECTROPLATING
2) CHEMICAL TANKS	TNAKS *PICKLING TANKS * FILTER PRESS
	TROUGHS * STACKABLE BASKETS
3) TRIPLE LAYER(WHITE) WATER TANKS	*CYL. VERTICAL TANKS WITH CLOSE
3) TRIPLE LATER(WHITE) WATER TAINS	TOP(500LITERS UPTO 5000 LITERS)
4) UNDERGROUND TANKS	* CYL. VERTICAL TANKS EITH CLOSE TOP
E) INCLUATED ICE DOVEC	* AVAILABLE IN DIFFERENT COLOUR &
5) INSULATED ICE-BOXES	SIZES(20LITERS UPTO 1620 LITERS)
6) PALLETS & CRATES	* AVAILABLE IN DIFFERENT COLOUR & SIZES.
7) PLASTIC UNBREACKABLE BUCKETS &	* AVAILABLE IN DIFFERENT COLOUR & SIZEZ.
GHAMELA	
8) DUST-BINS	*AVAILABLE IN DIFFERENT COLOUR & SIZE.

ETC. & LOTS MORE...

WE HAVE ALSO DONE SUCCESSFUL DEALLING IN WELL-KNOWN COMPAINES & GOVERNMENT SECTOR WITH BEST QUALITY AND BEST SERVICES AFTER SALES .

FOR ANY QUERIES, PLEASE FEEL FREE TO CONTACT US.

WE LOOK FORWARD TO THE PLEASURE OF HEARING FROM YOU AND ADDING YOUR NAME TO OUR LONG LIST OF DELIGHTED CUSTOMERS.

FOR, **NATIONAL PLASTICS**

MR. **DARSHAN PRAJAPATI**

MO. +91-9825010651

Web-site: www.nationalplastics.com



We have a great pleasure to introduce ourselves as a pioneer company in manufacturing plastic Water & Chemical Storage Tanks, All type of Industrial containers and many more products under reputed brand name "NATIONAL" for last more than 35 years.

* Material:

- . ALLTANKS MADE FROM LINEAR LOW DENSITY POLY ETHYLENE (L.L.D.P.E.) MATERIAL
- Made from 100% virgin material.

* Unique Features:

- · One-piece moulded without seams or joints and hence leak-proof
- Hygienic Maintenance-free Light weight and hence easy to carry and
- install Removable lids Computerise ribbed design for better strength
- Versatile Aesthetically appealing Optimum design for economy Rust proof • durable • Tested and approved by leading laboratories, industries and institutions • available in various capacities from 200 litres to 35,000 litres.

* Installation Instructions:

- · Provide full bottom support to the tank.
- . Install the tank on rigid, plain and smooth surface.
- . Keep the lid closed all the time.
- . Support all the connections to avoid torque on the area of fittings.
- . Check all the connections before using the tank.
- . Fill up the tank step by step.
- . Stop use of the tank, if leakage is noticed.
- . DO NOT install the tank near areas of vibration.
- . DO NOT use the tank at pressure or Vaccum.
- . DO NOT make direct connections of pump to the tank, provide flexible pipe in-beween.
- . DO NOT directly interconnect TWO TANKS, inter connect through common manifold with flexible pipe in-between.

Special Notes:

- · All white tanks and white industrial products are specially for indoor use only, never use it in outdoor.
- . If tank cracks from inlet or outlet connection, there is no manufacturing fault.
- . In Chemical storage tanks, maintain service temperature between 10°C to 60°C.
- Metal structure support must be compulsory for product No.: 5,6,7,8,9,10
- Product Top Side Outer Ring (Coller) Dimensions are Extra for product No.: 5,6,7,8,9.10
- All dimensions are approximately

STANDARD RANGE OF NATIONAL TANKS & INDUSTRIAL CONTAINERS

BULK STORAGE TANKS: National Water & Chemical storage tanks are popular in all over india. They are available as readymade tanks for storage of common acids like HCL, H2SO4, Acetic acid, NaOH, Phosphoric acid, Formaldehyde, Methyl Alcohol, Etyl Alcohol etc.



SERIES: "N-WSCC" (WATER & CHEMICAL/ACID STORAGE TANKS) CYLINDRICAL VERTICAL TANKS WITH CLOSED TOP

O Code-No		-No Capacity (In Litres)		Dimensions Dia. Height	
N-WSCC	20-01	200	600	820	280
N-WSCC	30-01	300	730	780	370
N-WSCC	40-01	400	850	780	370
N-WSCC	50-01	500	1000	820	370
N-WSCC	50-01	500	820	1000	370
N-WSCC	75-01	750	960	1020	370
N-WSCC	100-01	1000	1070	1260	370
N-WSCC	150-01	1500	1300	1270	370
N-WSCC	200-01	2000	1390	1500	490
N-WSCC	250-01	2500	1470	1710	490
N-WSCC	300-01	3000	1490	1900	490
N-WSCC	400-01	4000	1800	1850	490
N-WSCC	500-01	5000	1950	1950	490
N-WSCC	750-01	7500	1900	2800	490
N-WSCC	1000-01	10000	2550	2230	490
N-WSCC	1500-01	15000	2550	3230	490
N-WSCC	2000-01	20000	3000	3100	490
N-WSCC	2500-01	25000	3000	3900	490
N-WSCC	3500-01	35000	3300	4470	490





SERIES: "N-TLWT" TRIPLE LAYER WATER TANKS (WHITE COLOUR)

Code-No		Capacity	D	(MM) Manhole	
		(In Litres)	Dia.		
N-TLWT	50-01	500	820	1000	370
N-TLWT	75-01	750	960	1020	370
N-TLWT	100-01	1000	1070	1260	370
N-TLWT	150-01	1500	1300	1270	370
N-TLWT	200-01	2000	1390	1500	490
N-TLWT	300-01	3000	1490	1900	490
N-TLWT	500-01	5000	1950	1950	490



SERIES: "N-HT" HOUSEHOLD DRUMS

0	. N.	Capacity	Dimensions (MM)			
Coc	ie-No	(In Litres)	Dia	Height	Manhole	
N-HT	10-01 (R)	• 100	445	740	280	
N-HT	22-01	• 225	545	990	370	
N-HT	10-01	100	510	600	370	
N-HT	15-01 (H)	150	510	825	370	

1. (*) Available in both white and black colours.
2. White loft tanks and drums for indoor use only





SERIES: "N-WSI" LOFT TANKS

0	Code-No		Capacity (In Litres)		Dime Length	(MM) Height	
	N-WSI	10-01		100	550	Width 550	420
	N-WSI	15-01		150	675	660	430
	N-WSI	22-01		225	1030	650	420
	N-WSI	27-01		270	1030	650	485
	N-WSI	27-01		270	1210	905	330
	N-WSI	30-01		300	1310	625	445
	N-WSI	37-01		375	1260	815	445
	N-WSI	37-01		375	1410	905	420
	N-WSI	42-01		425	1285	880	460
	N-WSI	42-01		425	1485	890	380
	N-WSI	50-01		500	1510	890	445
	N-WSI	60-01		600	1485	865	560
	N-WSI	70-01		700	1485	890	600
	N-WSI	100-01		1000	1790	990	635

(*) Available in both white and black colours.
 White loft tanks and drums for indoor use only.






SERIES: "NCV" CYLINDRICAL VERTICAL TANKS WITH OPEN TOP

O Cor	le-No	Capacity		ions (MM)
- 000	10-110	(In Litres)	Dia	Height
NCV	20-01	200	585	800
NCV	50-01	500	960	715
NCV	75-01	750	940	1040
NCV	100-01	1000	1100	1150
NCV	150-01	1500	1320	1300
NCV	200-01	2000	1320	1600
NCV	300-01	3000	1500	1980
NCV	500-01	5000	1950	1760
NCV	750-01	7500	1950	2800
NCV	1000-01	10000	2550	2220
NCV	1500-01	15000	2550	3230
NCV	2500-01	25000	3000	3900







(1) <u>CYLINDRICAL WATER & CHEMICAL TANKS AVAILABLE FROM SIZE 200 LITRES UPTO 35000 LITRES :</u>





(2) <u>CYLINDRICAL TRIPLE LAYER WATER TANK (WHITE) AVAILEBLE FROM SIZE 500LITRES</u> <u>UPTO 10000LITRES</u>:






(3) <u>LOFT TANK AVAILABLE FROM SIZE 225LITRES UPTO 1000LITRES</u>:





(4) OPEN TOP AVAILABLE FROM SIZE 200LITRES UPTO 25000LITRES:





(5) CONICAL TANKS AVAILABLE FROM SIZE 500LITRES UPTO 10000LITRES:





(6) <u>ELECTROPLATING TANKS AVAILABLE FROM 200LITRES UPTO 2000LITRES</u>:






(7) PICKLING TANKS AVAILABLE FROM SIZE 420LITRES UPTO 1500LITRES:







(8) TROUGHS AVAILABLE FROM SIZE 400LITRES AND 800LITRES:





(9) <u>DUST-BIN AVAILABLE FORM SIZE 80LITRES UPTO 660LITRES:</u>





(10) PURVI WATER TANKS AVAILABLE FROM UPTO 200LITRES UPTO 10000LITRES:



A WONDERFUL MOULDED POLYETHYLENE WATER STORAGE TANKS

Why PURVI Tank is a better Alternative?

1.100% HYGIENIC
Non-Absorbent and FDA
approved grades of Polyethylene
material is used and hence its safe use
in contact with food Stuffs,
Tanks does not impart any tests or
odour. Its smooth walled inner surface
and so, it is easy to clean and does not
Promote Growth of Bacteria. This
Makes it ideal for Waler Storage.

3. INSULATING

As Polyethylene is bad conductor of heat, it keeps the water hot or cold for longer time than the Mild Steel and RCC

4.LOW COST AND DURABLE PURVI Tanks have got number of advantages. It costs less than M.S. Tanks, almost same as RCC. Tanks are Expected to give about three times the life of M.S. and around two times the life of RCC Tanks.



PURVI Tanks is manufactured under Roatational Moulding Process and they are one Piece moulded without Seams or Joints & Hence it is a Leak Proof

PURVI Tanks are extremely light weight and hence easy to carry & Install.

and hence easy to carry & Install.

7. EASYTO MAINTAIN

Non-Corroding PURVI Tanks does not need painting or Anti-Corrosive treatment, it is Resistant to Ultraviolet Radiation of Sunlight and Can be safety installed out-door.

Saves time of Construction & Eliminates delay.

Available in Various Capacities From 200 LITRES to 10,000 LITRES.

MATERIAL
 Made From Linear Low Density
Poly ethylene (L.L.D.P.E.)
 Made from 100% Virgin Material









CAPACITY	DIMENSIONS (CMS)					
(IN LITRES)	TOP DIA	BOTTOM DIA	HEIGHT			
05	20	16.5	19			
12	26	21.5	25			
20	30.5	25.5	29.5			
12 (Spout)	26	21.5	25			



	SIZE (INCH.)						
PURVI	13"	14"	16"	18"	20"	22"	24"

PALLMANN PLAST PVT. LTD.

PLOT NO. 80, G.I.D.C. ESTATE, AMBICANAGAR ROAD, ODHAV, AHMEDABAD-382415. (Gujarat) TEL.: (079) 2289 3346






(11) <u>HEAVY DUTY BUCKETS & PLASTIC GHAELA AVAILABLE FROM SIZE BUCKET 5,12,20</u> <u>LITRES & GHAMELA 13,16,18,20,22 INCH</u>







(12) PALLETS & CRATES:





NATIONAL Plastics







India's No. 1 largest range from 200 liters up to 35000 liters AS ISO 9001:2000 COMPANY

MANUFACTURERS OF : WATER & CHEMICAL STORAGE TANKS, All TYPE OF INDUSTRIAL CONTAINERS, CRATES, INSULATED ICE-BOXES, PALLETS & UNBREAKABLE BUCKET - GHAMELA

600 x 400 Series



Model No : 64375 CL DIMENSIONS: D. 600 (L) X 400 (B) X 375 (H) mr

O.D. 600 (L) X 400 (B) X 375 (H) mm I.D. 565 (L) X 365 (B) X 365 (H) mm CAPACITY - 75 LIITERS



Model No : 64375 SP DIMENSIONS: O.D. 600 (L) X 400 (B) X 375 (H) mm I.D. 565 (L) X 365 (B) X 365 (H) mm CAPACITY - 75 LIITERS



Model No : 64375 TP DIMENSIONS: O.D. 600 (L) X 400 (B) X 375 (H) mm I.D. 565 (L) X 365 (B) X 365 (H) mm CAPACITY - 75 LIITERS



Model No : 64425 CL DIMENSIONS: O.D. 600 (L) X 400 (B) X 425 (H) mm I.D. 565 (L) X 365 (B) X 415 (H) mm CAPACITY - 87 LIITERS



Model No : 64425 SP DIMENSIONS: O.D. 600 (L) X 400 (B) X 425 (H) mm I.D. 565 (L) X 365 (B) X 415 (H) mm CAPACITY - 87 LIITERS



Model No : 64425 TP DIMENSIONS: O.D. 600 (L) X 400 (B) X 425 (H) mm I.D. 565 (L) X 365 (B) X 415 (H) mm CAPACITY - 87 LIITERS




Model No : 64485 CL DIMENSIONS: O.D. 600 (L) X 400 (B) X 485 (H) mm I.D. 565 (L) X 365 (B) X 475 (H) mm CAPACITY - 102 LIITERS



Model No : 64485 SP DIMENSIONS: O.D. 600 (L) X 400 (B) X 485 (H) mm I.D. 565 (L) X 365 (B) X 475 (H) mm CAPACITY - 102 LIITERS



Model No : 64485 TP DIMENSIONS: O.D. 600 (L) X 400 (B) X 485 (H) mm I.D. 565 (L) X 365 (B) X 475 (H) mm CAPACITY - 102 LIITERS (14) <u>ICE-BOXES</u>:



(15) SAMRAT WATER TANKS AVAILABLE FROM SIZE 200LITRES UPTO 2000LITRES:



